

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	dynabook	Logo
Company name *	Dynabook Europe GmbH	
Contact information *	Stresemannallee 4b, 41460 Neuss, Germany	•• dvnabook
e-mail address		
Internet site *	http://emea.dynabook.com/generic/environmental-managemen	ť
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook Computer				
Commercial name *	SATELLITE PRO C40-K, SATELLITE C40-K				
Model number *	PSY14E, PSY15E, PSY16E				
Issue date *	2022-July-25				
Intended market *	Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	PSY14E, PSY15E, PSY16E	Logo	
Issue date *	2022-July-25		• dynabook

Produc	t environmental attributes - Legal requirements	Require	ment	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\times		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	•		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.0	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
1 1.7	http://emea.dynabook.com/generic/environmental-management/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\square		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\square	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
	http://emea.dynabook.com/generic/product-conformity			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\bowtie		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\bowtie		
	available at (add URL):			
~=	http://emea.dynabook.com/generic/environmental-management/			
P5 P5.1*	Product packaging			
P0.1	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	;)	\square	
	used (see legal reference).	· 🗀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
<u> </u>	Treatment information		_	_
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		17	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	PSY14E, PSY15E, PSY16E	Logo			
Issue date *		2022-July-25	_ Go	dyna	abo	ok
Produc		mental attributes - Market requirements (See General NOTE GN below onmental conscious design		equiren	nent	met
Item		tory to fill in. Additional information regarding each item may be found under P14.			No	n.a.
P7	Design					
D- (+		mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\bowtie		
	Product	lifetime			_	
P7.7*	Upgradir	ig can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	ng can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years				Ē
P7.10	Service i	s available after end of production for: See P15				Π
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>PC+ABS</i> Material type: Materia	al type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\Box	$\overline{\Box}$
P7.14	weight (1 polyvinyl	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌	are low	\boxtimes		
	halogen	as defined in IEC 61249-2-21. (See ⁵ NOTE B2)				
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):	_	_	_
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:	, CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: FR(40)	ents) > 25 g	\boxtimes		
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	preparations in			
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) Image: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: Image: Chemical Specifications is a constraint of the source(s) for these classifications is/are found at (add URL(s)): Image: Chemical Specifications of flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): Image: Chemical Specification statements of the specification statement					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	PSY14E,	PSY15E, PSY16E			Logo			
Issue dat	e *	2022-Jul	y-25				• dyr	nabo	ook
Product	environn	nental att	ributes - Market re	quirements (cont	inued)		Requi	reme	nt met
Item							Yes	No	n.a.
DT 0.00			ance requirements (
P7.20*	Postcons	sumer recyc	cled plastic material co	ontent is used in the p	product (See NOTE B6)	:	\bowtie		
			of the two alternatives						
			parts' weight > 25 g, t otal plastic by weight		cycled plastic material c	ontent (calculate	ed as a		
	or .	Ũ	. , , ,						
P7.21*			ecycled material is 3 Iterial content is used					\boxtimes	
1 7.21		•							
			of the two alternatives		vered; naterial content (calcula	tod as a porcor	tago of		
		I plastic by		ine biobased plastic i		leu as a percer	itage of		
	or b) The	woight of t	he biobased plastic m	atorial is a					
P7.22*			he biobased plastic n ee from mercury, i.e. l		Э.				
5.	If mercu	ry is used s	pecify: Number of lar		num mercury content p	er lamp:	mg		
P8 P8.1*	Batteries		mposition: Main bat	terv: Li-ion					
P9			on (See NOTE B8)						
P9.1	For the p	product the	following power levels	s or energy consumpt	tions are reported:				
Energy mo	ode *		Power level at	Power level at	Power level at	Reference/Sta	andard for ener	ду	
			100 V AC	115 V AC	230 V AC	modes and te	st method *		
EPS No-lo	oad power sup	olv /	W	W	0.09 W	EN 50563			
charger pl	ugged in th	ne wall							
outlet but the produc	disconnect	ted from							
PTEC *	51.)		W	W	W				\boxtimes
	nergy Cons	umption	**	vv	v v				
Power_in_	_Off		W	W	Category1: 0.26W Category2: 0.26W	ENERGY STA Requirement	AR® Program s for Compute	rs	
					outogory 21 of 2011	Version 8.0	o loi oompute		
Power_in_	Sleep		W	W	Category1: 0.83W	ENERGY ST			
					Category2: 0.78W	Requirement Version 8.0	s for Compute	rs	
Power_in	Long Idle		W	W	Category1: 0.83W	ENERGY STA	R® Program		
					Category2: 0.78W		s for Compute	rs	
Power in	Short Idle		W	W	Category1: 6.36W	Version 8.0 ENERGY STA	R® Program		
			vv	vv	Category2: 5.53W	Requirement	s for Compute	rs	
						Version 8.0			
ETEC *	nergy Cons	umption	kWh/year	kWh/year	Category1: 18.13kWh/year		AR® Program s for Compute	rs	
	icigy cons	ampuon			Category2:	Version 8.0	s ioi compute		
<u> </u>					16.10kWh/year				
			y Level (International	Efficiency Marking P					
	solution *		gapixels						\boxtimes
			e mode: AC mode: 1						
P9.2*			e energy save function	on is provided with the	e product.		\square		
P9.3	Energy e	efficiency cla	ass (monitors only):						\boxtimes

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	PSY14E, PSY15E, PSY16E	Logo	
Issue date *	2022-July-25		•• dynabook

	t environmental	attributes - Market requirements (contin	lued)	Require		met		
ltem				Yes	No	n.a		
P10	Emissions							
		- Declared according to ISO 9296 (See NOTE						
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound	l power level,				
			L _{WA,c} (B)					
	Idle	* ISO7779 Idle	* 2.6		[
	Operation	* ISO7779 Operation-HDD	*			X		
	Other mode	ISO7779 ODD (When ODD operates)						
	Other mode	When cooling fan operates (Fan max.)	4.2					
	-		7.4					
	Measured acco	ding to: 🛛 ISO 7779 🔄 ECMA-74						
		Other (only if not covered by	(ECMA-74)					
P10.4	Electromagnet							
P10.4	program(s):	y meets the requirement for low frequency elect	romagnetic fields of the following volunta	У		\bowtie		
P12		r computing products						
P12.1*		ets the ergonomic requirements of ISO 9241-307	for visual display technologies.			\square		
P12.2*		but device meets the requirements of ISO 9995 a	. , .	<u> </u>	\dashv			
		documentation						
P13 P13.1*		ng material type(s): Cardboard weight (kg):	0.446					
1 13.1		ng material type(s): EPE weight (kg):						
		ing material type(s): PP weight (kg):						
		ng material type(s): PE weight (kg):						
P13.2*	Product plastic	primary packaging is free from PVC.						
P13.3*	For product prin	nary corrugated fiberboard packaging, specify the	e contained percentage of minimum post			F		
	consumer recovered fiber content: 90.02 %							
P13.4*		or user and product documentation (tick box):						
	Electronic 🔀, Paper 🔀, Other 📃							
P13.5		nplete this item if paper documentation used)		\bowtie				
	User and product documentation on paper media is chlorine-free: If Yes, please specify:							
	11 1 C3, pica3c 3	cony.						
	Totally chlorine-	free		\boxtimes				
	Elemental chlor							
	Processed chlorine-free							
P14								
P14 P14.1	Voluntary proc	rams ets the requirements of the following voluntary p	rogram(s):					
	ENERGY STAF		ate: 15-Jun-2022 Product catego	ory: 1, 2				
	Eco-label:		ate: Product catego					
	Eco-label:	Criteria version: Da	ate: Product catego	ory:				
P15		rmation (See NOTE B10)						
P9		nption of computer products; description of t	the tested product configuration:					
<u>P7.10</u> P9	Service period depends on service agreement. Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard							
13	configuration meeting ENERGY STAR® specifications. Use of different configurations or optional devices changes the energy							
	efficiency							
P10	Acoustic noise information published on The Eco Declaration represents the characteristics of a model with standard							
	configuration. C	haracteristics of models with different configurati	ons may vary.					
P7.19	The definition of plastic parts in this item does not include cables in harmonization with TCO. AC cable commonly includes R40							
	substances.							
		tained in this document is approximate and provi						
		des this information without warranties of any kir	na neither expressed nor implied including	put not limite	ed to			
	wananies ior a	particular purpose.						
		not warrant that the content will be error free. Al	l information in this document is provided	to the hest of	F			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	